

Processing

**EVEN BETTER
THERMAL INSULATION**



Gabled ceiling:

Premium / Optimal / Block
Klemmfilz*



Roof:

Premium / Optimal
Klemmfilz*



Ceiling:

Premium / Optimal / Block
Klemmfilz*

Acoustic ceiling:

Optimal / Klemmfilz*
Akustik-Aktiv-Filz
Optimal plus



Wall:

Premium / Optimal
Optimal plus / Klemmfilz*

Installation level:

Optimal / Optimal plus
Klemmfilz*



Facade:

Premium / Optimal
Klemmfilz*

Wooden frame construction:

Premium / Optimal
Klemmfilz*

Timber:

Optimal / Block



Floor:

Optimal / Block
Klemmfilz* / Trittschallfilz
Trittschalldämmung



Window:

Fugenband / Loses Wollvlies

* Extraordinary insulation effect and sound absorption



Klemmfilz

Technical space and acoustic level



Optimal

Roof pitch



Premium

Roof pitch & interior wall insulation



Optimal / Klemmfilz

Picture 1: Interior wall insulation Optimal

Picture 2: Interior wall insulation Klemmfilz



Block

Interior wall insulation & ceiling insulation



Fugenband

Window installations



Premium / Optimal

Facade insulation



Optimal

Wood frame construction




Optimal / Trittschalld.

Picture 1 & 2: Floor insulation with underfloor heating

Picture 3: Floor insulation with Block

Picture 4: Trittschalldämmung



Optimal

Logs insulation



Special product

Yurt construction



Picture source: Jurtenwerkstatt Zell an der Pram

Optimal

Sauna



Picture source: RM Wellness GmbH - Gruber Sauna

Optimal special product

Boiler - & pipe insulation



Picture source: ISOLENAWOLLE



Picture source: DOSCHAWOLLE

Roller cutter

We will gladly provide you our roller cutter!



Please make sure that ...

- ... the cutter is handled carefully and use the roller cutter only on a soft mat!
Particularly suitable are: formwork panels, wood fiber boards, etc.
- ... approximately once per week place a drop of oil on the edge of the cutting disk plate!
- ... the roller cutter is kept away from children!
- ... the cutting disc is facing the ground when not in use (the cutting disc is sharp)!
- ... the roller cutter is stored in the transport box for safety when you don't need it.
- ... the cutter is well packaged when returning it!

Isolena assumes no liability whatsoever for any injuries caused by improper use!

Return: immediately after completion of insulation work, carriage paid and undamaged